

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) Tanning lamp including a panel (2) and a UV radiation source (3) mounted on said the panel (2), ~~characterised in that wherein~~ it comprises at least one mobile shutter ~~or door~~ (4) associated with said the panel (2) for a temporary masking of said the UV radiation source (3).

2. (Currently amended) Tanning lamp according to claim 1, ~~characterised in that it comprises further comprising~~ a mirror-like reflecting wall (5) associated with said the mobile shutter (4) at an outer surface (4a) ~~of said mobile shutter (4) thereof~~, with which it substantially constitutes a single piece.

3. (Currently amended) Tanning lamp according to claim 1, ~~characterised in that said wherein the~~ panel (2) is a box-type body (6), defining a space (6a), in which said the UV radiation source (3) is housed.

4. (Currently amended) Tanning lamp according to claim 3, ~~characterised in that said wherein the~~ box-type body (6) is shaped as a flat parallelepiped with a rectangular section comprising a rear wall (7), a first (8) and respectively a second (9) side wall, a top wall (10), and a bottom wall (11).

5. (Currently amended) Tanning lamp according to claim 4, ~~characterised in that it comprises further comprising~~ a plurality of support feet (11a), that are height-adjustable, associated with said the bottom wall (11) of the box-type body (6).

6. (Currently amended) Tanning lamp according to claim 4, ~~characterised in that it comprises~~ further comprising fastening or attachment means (7a) associated with ~~said the~~ rear wall (7) of ~~said the~~ box-type body (6).

7. (Currently amended) Tanning lamp according to claim 1, ~~characterised in that said wherein the~~ mobile shutter (4) has, at its longitudinal edges (13), curved end portions (13a) so as to define front rims having a rounded profile in ~~said the~~ tanning lamp.

8. (Currently amended) Tanning lamp according to claim 1, ~~characterised in that said at least one~~ wherein the mobile shutter (4) comprises two mobile half-shutters.

9. (Currently amended) Tanning lamp according to claim 1 ~~or 8~~, wherein at least a portion of ~~said the~~ UV radiation source (3) is left permanently uncovered by, or visible through, ~~said the~~ mobile shutter (4).

10. (Currently amended) Tanning lamp according to claim 1, ~~characterised in that it comprises~~ further comprising table-top support means.

11. (New) Tanning lamp including:
a panel;
a UV radiation source mounted on the panel;
at least one mobile shutter associated with the panel for a temporary masking of the UV radiation source;

wherein the panel is a box-type body, defining a space, in which the UV radiation source is housed, the box-type body being shaped as a flat parallelepiped with a rectangular section comprising a rear wall, a first and respectively a second side wall, a top wall, and a bottom wall, a plurality of support feet, that are height-adjustable, being associated with the bottom wall of the box-type body.

12. (New) Tanning lamp according to claim 11, further comprising a mirror-like reflecting wall associated with the mobile shutter at an outer surface thereof, with which it substantially constitutes a single piece.

13. (New) Tanning lamp according to claim 11, further comprising fastening or attachment means associated with the rear wall of the box-type body.

14. (New) Tanning lamp according to claim 11, wherein the mobile shutter has, at its longitudinal edges, curved end portions so as to define front rims having a rounded profile in the tanning lamp.

15. (New) Tanning lamp according to claim 11, wherein the mobile shutter comprises two mobile half shutters.

16. (New) Tanning lamp according to claim 11, wherein at least a portion of the UV radiation source is left permanently uncovered by, or visible through, the mobile shutter.

17. (New) Tanning lamp according to claim 11, further comprising table-top support means.

18. (New) Tanning lamp including:
a panel;
a UV radiation source mounted on the panel;
at least one mobile shutter associated with the panel for a temporary masking of the UV radiation source,
wherein at least a portion of the UV radiation source is left permanently uncovered by, or visible through, the mobile shutter.

19. (New) Tanning lamp according to claim 18, further comprising a mirror-like reflecting wall associated with the mobile shutter at an outer surface thereof, with which it substantially constitutes a single piece.

20. (New) Tanning lamp according to claim 18, wherein the panel is a box-type body being shaped as a flat parallelepiped with a rectangular section comprising a rear wall, a first and respectively a second side wall, a top wall, and a bottom wall and defining a space, in which the UV radiation source is housed, plurality of support feet, that are height-adjustable, being associated with the bottom wall of the box-type body.